



FOOD GUIDE



YOUR BEST SOLUTION™



1958

Born in a Pennsylvania garage
with a single product

Now a **GLOBAL LEADER**



CRC is a leading global manufacturer of specialty products and formulations for maintenance and repair professionals and do-it-yourselfers, serving the industrial, electrical, automotive, marine, heavy truck, hardware and aviation markets.

CRC has a rich history of innovation, driven by a core focus on identifying unmet needs in the marketplace and providing differentiated solutions for its customers. CRC has been first-to-market with many industry-leading products such as CRC Bräkleen®, the #1 selling brake parts cleaner worldwide. That passion for innovation continues today as the company creates high quality formulations that are custom-matched to specific application needs while keeping the health and safety of the user at the forefront in a highly-regulated environment.

CRC is the only company to offer the S.D.[L.]® (Safety Data Label) – a Safety Data Sheet printed on the reverse side of the product label, keeping critical safety information at the fingertips of the user.



As an ISO (International Organization for Standardization) 9001:2015 certified manufacturer, CRC places strict controls on every step of the product development and manufacturing process; starting with the finest raw materials and continuing with consistent, quality manufacturing techniques. The benefits of achieving and maintaining ISO 9001:2015 certification reach CRC customers through the consistent conformity of its products and services, and the assurance of superior quality, environmental responsibility, safety and reliability.



- 2 NSF® Category Codes
- 3 StopLight® Food Safety Program
- 4 Product Features
- 5 Food Grade Lubricants
- 6 Greases
- 7 Lubricants
- 10 SmartWasher® Bioremediating Parts Washing System
- 12 Aqueous Cleaners
- 14 Industrial Precision Cleaners
- 16 Heavy Duty Degreasers
- 18 Maintenance Chemicals
- 19 Sealants & Adhesives
- 20 Product Name Index

CRC®, Weld-Aid®, Sta-Lube®, K&W®, MaryKate®, SmartWasher® and products denoted with ™ and ® are trademarks or registered trademarks of CRC Industries, Inc.

NSF® CATEGORY CODES

CATEGORY CODE 3H

This product is acceptable for use as a Release Agent on grills, ovens, loaf pans, boning benches, chopping boards, or other hard surfaces in contact with meat and poultry food products to prevent food from adhering during processing.

CATEGORY CODE A1

This product is acceptable for use as a general cleaning agent on all surfaces, or for use with steam or mechanical cleaning devices in all departments. Before using this compound, food products and packaging materials must be removed from the room or carefully protected. After using this compound, surfaces must be thoroughly rinsed with potable water. Permission for the use of this compound on loading docks and other similar areas is left to the discretion of the Inspector-In-Charge of the establishment.

CATEGORY CODE C1

This product is acceptable for use as a general cleaner/degreaser in inedible product processing areas, and/or exterior areas of official establishments operating under the Federal Meat, Poultry, Shell Egg Grading, and Egg Products Inspection Programs provided that it is not used to mask odors resulting from unsanitary conditions, and that any characteristic odor or fragrance does not penetrate into an edible area. Permission for the use of this compound on loading docks and other similar areas is left to the discretion of the Inspector-In-Charge of the establishment.

CATEGORY CODE C3

This product is acceptable for use as paint remover for use in areas where edible products are neither processed nor stored in open containers. Equipment and utensils which directly contact edible products must be thoroughly cleaned and rinsed with potable water after treatment with such products before being returned to a processing area.

CATEGORY CODE D2

This product is acceptable for use as a sanitizer on all surfaces not always requiring a rinse in and around food processing areas. Before using this compound, food products and packaging materials must be removed from the room or carefully protected. A potable water rinse is not required following the use of this compound on previously cleaned hard surfaces provided that the surfaces are adequately drained before contact with food so that little or no residue remains which can adulterate or have a deleterious effect on edible products. A potable water rinse is required following use of this compound under conditions other than stated above. The compound must always be used according to applicable label directions.

CATEGORY CODE E4

The product is acceptable for use as a hand cream, lotion or cleaner in non-processing areas. The use of such products is limited to toilets, dressing rooms and other non-processing areas. Employees who handle edible products may use such compounds only when leaving the plant.

CATEGORY CODE H1

This product is acceptable as a lubricant with incidental food contact for use in official establishments operating under the Federal Meat and Poultry Products Inspection Program. Such compounds may be used on food processing equipment as a protective anti-rust film, as a release agent on gaskets or seals of tank closures, and as a lubricant for machine parts and equipment in locations in which there is potential exposure of lubricated part to food. The amount used should be the minimum required to accomplish the desired technical effect on the equipment. If used as an anti-rust film, the compound must be removed from the equipment surface by washing or wiping, as required to leave the surface effectively free of any substance, which could be transferred to food being processed. The final granting of authorization for the proposed use of such compound is the responsibility of the Inspector-In-Charge of the official plant.

CATEGORY CODE H2

This product is acceptable as a lubricant where there is no possibility of food contact in official establishments operating under the Federal Meat and Poultry Products Inspection Program. Such compounds may be used as lubricants, release agents, or anti-rust films on equipment and machine parts or in closed systems (ex. Hydraulic systems) in locations where there is no possibility of the lubricant or lubricated part contacting edible products. The final granting of authorization for the proposed use of such compound is the responsibility of the Inspector-In-Charge of the official plant.

CATEGORY CODE K1

This product is chemically acceptable as a solvent cleaner for use in non-processing areas of official establishments operating under the Federal Meat and Poultry Products Inspection Program. After using the product, equipment and utensils must be thoroughly washed with an acceptable detergent solution and rinsed with potable water to remove all traces of the cleaner before being returned to the processing area. The final granting of authorization for the proposed use of such compounds is the responsibility of the Inspector-In-Charge of the official plant.

CATEGORY CODE K2

This product is chemically acceptable as a solvent for cleaning electronic instruments and devices which will not tolerate aqueous cleaning solutions in official establishments operating under the Federal Meat and Poultry Products Inspection Program. Before using this compound, food products and packaging materials must be removed from the area or carefully protected. This compound must be used in a manner so that all odors associated with the compound are dissipated before food products or packaging material are re-exposed in the area. The final granting of authorization for the proposed use of such compounds is the responsibility of the Inspector-In-Charge of the official plant.

CATEGORY CODE K3

This product is acceptable for use as an adhesive or glue remover, for removing adhesive or glue from food packaging materials in and around food processing areas, where its use is not intended for direct food contact. Before using this compound, food products and packaging materials must be removed from the area or carefully protected. After using these compounds, all surfaces must be thoroughly washed with an acceptable detergent solution, and rinsed with potable water. This compound must be used in a manner so that all odors associated with the compound are dissipated before food products or packaging materials are re-exposed in the area.

CATEGORY CODE P1

This product is chemically acceptable for use in official establishments operating under the Federal Meat and Poultry Products Inspection Program. This compound must be used in a manner which prevents direct or indirect contamination of edible products or potable water. Use must also be consistent with the manufacturer's directions and warnings.

CATEGORY CODE M1

This product is acceptable for use as a mold release agent on molds that are used to produce packaging materials that will contact food to prevent the finished product from adhering to the mold. Use must also be consistent with the manufacturer's directions and warnings.

CATEGORY CODE R2

This product is acceptable for use as a coating where there is no possibility of food contact such as floors, walls, and ceilings. The coating must be applied in a manner which prevents direct or indirect contamination of edible products. Before the food product may be placed in the area where the material is being used, the area should be sufficiently free of odor to prevent product contamination. As a safety precaution, smooth coatings should not be applied to walking or standing surfaces in processing area.



Concerned with Food Safety? Let CRC Help.

CRC Industries recognizes the issues facing today's food industry supply chain – from food processors to food packaging manufacturers – as it relates to the use of maintenance chemicals. We understand the importance of continuous improvement as part of GFSI, Global Food Safety Initiative, recognized schemes like BRC, SQF, and FSSC 22000. Also, Food Safety Modernization Act, FSMA, requires food manufacturers and processors to establish and maintain comprehensive plans covering every aspect of their production processes, including the use of lubricants. For more information visit www.FSMAFoodGradeLubricants.com. As part of our commitment to simplify one aspect of the complex food processing industry, CRC offers the StopLight® Food Safety Program.

What is the StopLight® Food Safety Program?

Our StopLight® Food Safety Program is a visual identification labeling program that ensures maintenance employees use and store MRO products in the proper locations. The StopLight® Food Safety Program involves the use of color-coded stickers placed on CRC MRO products to determine where they can be used, who may use them, and where they should be stored. The color coding provides flexibility within the program and can be tailored to meet the unique needs of any company involved in the food processing and handling supply chain. Utilizing elements of our Risk Reduction Partnership Plan™, CRC will supply your maintenance department with industry-leading top performing products, provide your food safety team with 3rd-Party certification of these products, and enable your plant to reduce the number of products in use. This continuous-improvement program identifies products and applications as RED, YELLOW, or GREEN. A RED designation carries the most restrictions, YELLOW requires caution, and GREEN allows more flexibility.

How will CRC and the StopLight® Food Safety Program help you?


StopLight® Food Safety Program goals include reducing and controlling the number of products in use, and providing on-site no-charge training sessions for the maintenance department. CRC Industries will also provide documentation that all maintenance products are NSF-Registered and approved for use in a food processing establishment. All of these goals will assist a processing or packaging site in reducing the risks involved in the management of maintenance products.

StopLight® Food Safety Program has proven helpful in improving audit scores, supplier reviews, and adds a program that meets the needs of GFSI schemes and FSMA. CRC has formulas registered with NSF International thus providing the broadest application solutions for the food & beverage industry and food packaging manufacturers.

STICKERS



POSTERS



VISIT STOPLIGHTFOODSAFETY.COM
TO LEARN MORE

PRODUCT FEATURES

CRC Industries offers food grade maintenance products registered with NSF category designations. These items are approved for use where incidental food contact might occur. Understanding the importance for continuous improvement in food safety, CRC has a unique label designed to ensure proper usage of these products in the workplace. In addition, these products utilize the revolutionary Perma-Lock® 2-Way Integrated Actuator that will not detach!

Silver Band

Quick visual identification of CRC Food Grade products from across the plant floor with unique silver banding.


StopLight® Food Safety Program Graphic

Green STOPLIGHT image immediately identifies the product as safe for incidental food contact.

Product Name

Clear & descriptive product name provides immediate recognition of use.

S.D.[L.]® Safety Data Label – Current Safety Data Sheet printed on the reverse side of aerosol product label – a CRC exclusive – puts disposal, first aid and important safety information right at your fingertips!



Dual Hazcom Label

Labels are GHS OSHA (Global Harmonized System) & CPSC (Consumer Product Safety Commission) compliant.



Perma-Lock® 2-Way Integrated Actuator

Permanent, 2-Way integrated actuator offers 2 spray patterns. Flip straw down for wide spray pattern; flip straw up for a precision application. PERMA-LOCK cap will not detach, safeguarding against costly recalls. No lost nozzles, straws or caps!

Perma-Lock® – Prevention. Not Detection.®



QR Code – Instant access to mobile-ready product detail page.



FOOD GRADE SILICONE, 10 WT OZ

No. 22048 | Item # 22048

Multi-purpose silicone spray for food processing and handling applications. Forms a colorless, odorless, non-staining film. Eliminates binding and sticking in most metal to non-metal applications. Meets FDA Regulation 21 CFR 175.105. Registered.

Food processing & handling equipment, conveyors, bottling machinery, knives, saws, coin mechanisms, timers, rubber seals, tools, vms



NSF Logo & Number

NSF Category Code and registration # prominently displayed to aid during the inspection process.

FOOD GRADE SILICONE

Multi-purpose silicone spray for food processing and handling applications. It forms a colorless, odorless, non-staining film that lubricates and insulates in most metal to non-metal applications. Silicone film eliminates binding and sticking, while protecting most surfaces.

Part#	Item#	Case/Order#	Container Size	Units Per Case
03039 ^{3*}	1003294	1003293	16 oz non-aerosol trigger can	12
03040 [*]	1003296	1003295	16 oz aerosol w/Perma-Lock [®]	12
03041 ^{3*}	1003298	1003298	5 gallon pail	1
03042 ^{3*}	1003299	1003299	55 gallon drum	1

FOOD GRADE MACHINE OIL

Extremely efficient and effective general purpose lubricant for use on food processing equipment. Food Grade Machine Oil penetrates and loosens rust, scale, dirt and corrosion to free parts and fasteners.

Part#	Item#	Case/Order#	Container Size	Units Per Case
03081	1003343	1003342	16 oz aerosol w/Perma-Lock [®]	12

FOOD GRADE PENETRATING OIL

An effective and efficient general purpose penetrant for use on food processing equipment. The highly refined white mineral oil is colorless, odorless and tasteless to meet NSF and FDA standards. Food Grade Penetrating Oil can be used to loosen rust, scale and corrosion around fasteners and hose fittings on food processing equipment.

Part#	Item#	Case/Order#	Container Size	Units Per Case
03086	1003355	1003354	16 oz aerosol w/Perma-Lock [®]	12
03087	1003358	1003357	1 gallon bottle	4
03088	1003359	1003359	5 gallon pail	1

FOOD GRADE WHITE GREASE

A high purity, high quality aluminum complex grease that provides superior lubrication and durability in many food and pharmaceutical processing applications. Designed for heavy load applications requiring a long grease life. Protects equipment against rust, oxidation and wear.

Part#	Item#	Case/Order#	Container Size	Units Per Case
03038 [*]	1003292	1003291	16 oz aerosol w/Perma-Lock [®]	12



H1

SYNTHA-TECH™ LUBRICANT WITH PTFE

A non-flammable, zero VOC[∞], unique blend of synthetic lubricants that utilizes PTFE, anti-wear and extreme pressure additives to increase equipment life and performance. This food grade synthetic lubricant is NSF H1 Registered for use in meat and poultry facilities. Additionally, its long lasting film minimizes surface contact thereby extending lubricating intervals.

Part#	Item#	Case/Order#	Container Size	Units Per Case
03054	1003310	1003309	16 oz aerosol w/Perma-Lock [®]	12



H1



H1

FOOD GRADE CHAIN LUBE

A special blend of synthetic lubricants and mineral oil, designed to keep roller drive and conveyor chains lubricated. It is specifically designed to provide the convenience of aerosol application where incidental food contact may occur. Food Grade Chain Lube penetrates, lubricates and protects moving parts by reducing friction and wear.

Part#	Item#	Case/Order#	Container Size	Units Per Case
03055	1003313	1003312	16 oz aerosol w/Perma-Lock [®]	12



H1



H1

FOOD GRADE BELT DRESSING

Provides a temporary, food grade, synthetic treatment for worn belts. Extends belt life by reducing slippage, hardening, glazing, dirt build-up and friction. Belt Dressing can be used on leather, rubber, canvas or fabric, and is ideally suited for flat, round and V-belts. Improves traction and reduces belt tension, relieving stress on motors, shafts and wheels for improved operating efficiency.

Part#	Item#	Case/Order#	Container Size	Units Per Case
03065 [*]	1003326	1003325	16 oz aerosol w/Perma-Lock [®]	12



H1

WATER BASED SILICONE

Non-flammable, NSF H1 Registered multi-purpose silicone spray for food processing and handling applications. It forms a white emulsion that is odorless and non-staining. It lubricates and protects in most metal to non-metal applications. Water Based Silicone is a silicone rich formula that eliminates binding and sticking, while protecting most surfaces.

Part#	Item#	Case/Order#	Container Size	Units Per Case
03035	1003289	1003288	16 oz aerosol w/Perma-Lock [®]	12



H1



H1

3 – Not for retail sale, for use in manufacturing establishments only.

*This product is labeled extremely flammable. Read and observe the special usage warning on the label.

Do not apply while equipment is energized.

∞ – As defined by Consumer Products VOC regulations.



MULTI-PURPOSE FOOD GRADE GREASE

NSF H1 Registered. Aluminum complex, NLGI-2 grease. Meets FDA regulation 21 CFR 178.3570 for incidental food contact. Appropriate for food processing and handling equipment. Will not pound out of bearings and bushings during shock loads.

Part#	Item#	Case/Order#	Container Size	Units Per Case
SL35600	1007924	1007923	14 oz cartridge	10
SL35605	1007925	1007925	35 lb pail	1

SYNTHETIC FOOD GRADE GREASE

NSF H1 Registered for incidental food contact. NLGI-2 lubricating grease formulated with the highest quality synthetic NSF Registered raw materials available. Performs extremely well in cold temperature applications as the base fluid exhibits a very low pour point. Resists rust and oxidation. Water wash-down resistant. Wide temperature range – provides superior lubrication from -45°F to 350°F.

Part#	Item#	Case/Order#	Container Size	Units Per Case
SL35610	1007928	1007927	14 oz cartridge	10

EXTREME DUTY FOOD GRADE GREASE

NSF H1 Registered for incidental food contact. NLGI-2 high performance lubricating grease excels in applications where resistance to water washout and broad operating temperatures are absolutely necessary. Provides unsurpassed resistance to extreme pressures and corrosion, including salt spray. Timken OK Load of 65 lbs. Wide Temperature Range – provides superior lubrication from -4°F to 351°F.

Part#	Item#	Case/Order#	Container Size	Units Per Case
SL35615	1007931	1007930	14 oz cartridge	10

FOOD GRADE DIELECTRIC GREASE

Lubricates, waterproofs and insulates with a thin, non-curing silicone compound. Dielectric Grease also provides an exceptional lubricant for fasteners used to support temporary electrical work. Excellent for lubricating and sealing rubber and plastic parts – including o-rings. Great for use in food processing environments where there may be a chance of incidental food contact.

Part#	Item#	Case/Order#	Container Size	Units Per Case
03085	1003353	1003352	6 oz pressurized tube	12



H1



H1



H1



H1

DIELECTRIC GREASE

Unique, non-curing silicone compound used for electrical sealing, lubricating, protecting and insulating. Dielectric Grease waterproofs electrical connections and components to protect against arcing due to moisture and other contaminants.

Part#	Item#	Case/Order#	Container Size	Units Per Case
03082*	1003346	1003345	16 oz aerosol w/Perma-Lock®	12



H1

FOOD GRADE ANTI-SEIZE & LUBRICATING COMPOUND

A premium quality anti-seize compound developed specifically for use in applications where incidental food contact is possible and is composed entirely of ingredients that meet NSF H1 requirements. This aluminum complex based anti-seize protects metal parts from seizure, galling, rust, corrosion, and heat freeze by tenaciously adhering to the metal surface.

Part#	Item#	Case/Order#	Container Size	Units Per Case
SL35905	1007942	1007941	8 oz brush-top bottle	12
SL35906	1007944	1007943	16 oz brush-top bottle	12



H1

FOOD GRADE AIR TOOL OIL

A full synthetic food grade oil formulated with high quality polyalphaolefin (PAO) base oil to meet the lubrication requirements of air line equipment. Formulated with high performance antioxidants and anti-wear additives to meet the challenges of industrial environments.

Part#	Item#	Case/Order#	Container Size	Units Per Case
SL2300	1007792	1007791	1 quart bottle	6



H1



*This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

MULTI-PURPOSE

3-36®

Multi-Purpose Lubricant and Corrosion Inhibitor

Multi-purpose lubricant, penetrant and corrosion inhibitor forms a clear, thin film that lubricates, prevents corrosion, displaces moisture and penetrates. It drives out moisture and leaves a thin, long lasting film to protect against corrosion.

Part#	Item#	Case/Order#	Container Size	Units Per Case
03004	1003253	1003252	6 oz aerosol	12
03005	1003255	1003254	16 oz aerosol	12
03007	1003259	1003258	16 oz trigger bottle	12
03006	1003257	1003256	1 gallon bottle	4
03009	1003261	1003261	5 gallon pail	1
03011	1003262	1003262	55 gallon drum	1

ULTRA-LITE 3-36®

An ultra-thin, non-staining dry film lubricant that resists oil, dust and dirt build-up. Penetrates into the most minute openings, sealing out moisture and preventing corrosion with an ultra-light protective film.

Part#	Item#	Case/Order#	Container Size	Units Per Case
03160	1003427	1003426	16 oz aerosol	12
03161	1003429	1003428	1 gallon bottle	4
03162	1003430	1003430	5 gallon pail	1
03163	1003431	1003431	55 gallon drum	1

2-26®

Multi-Purpose Precision Lubricant

Multi-purpose, plastic safe lubricant, penetrant and corrosion inhibitor that helps prevent electrical malfunctions caused by water penetration, humidity, condensation or corrosion. Restores resistance values and helps stop current leakage. Leaves a thin, long lasting film to protect against corrosion. Excellent for use around modern plastics and insulators.

Part#	Item#	Case/Order#	Container Size	Units Per Case
02004	1003161	1003160	6 oz aerosol	12
02005	1003163	1003162	16 oz aerosol	12
02007	1003167	1003166	16 oz trigger bottle	12
02006	1003165	1003164	1 gallon bottle	4
02009	1003169	1003169	5 gallon pail	1
02011	1003170	1003170	55 gallon drum	1

TECHNICAL GRADE 3-36®

Multi-Purpose Precision Lubricant

Multi-purpose, plastic safe lubricant, penetrant and corrosion inhibitor that helps prevent electrical malfunctions caused by water penetration, humidity, condensation or corrosion. It drives out moisture and leaves a thin, long lasting film to protect against corrosion. Excellent for use around modern plastics and insulators.

Part#	Item#	Case/Order#	Container Size	Units Per Case
03003	1003251	1003250	16 oz aerosol	12



H2



H2

DRY PTFE LUBE

A multi-purpose, micro-thin film containing PTFE. Dry PTFE Lube penetrates and bonds to most surfaces including metal, wood, rubber, plastic and glass. It forms a micro-thin film that prevents sticking, reducing friction and wear.

Part#	Item#	Case/Order#	Container Size	Units Per Case
03044	1003302	1003301	16 oz aerosol	12



H2



H2

ROLL-UP DOOR LUBRICANT

Superior lubricant that prevents friction and wear on all roll-up and overhead door assemblies. Its unique viscosity allows it to cover more surface area and penetrate deep into the surface of all metal components found in roll-up and overhead doors. Roll-Up Door Lubricant displaces moisture and leaves a thin, long-lasting film to protect against rust and corrosion.

Part#	Item#	Case/Order#	Container Size	Units Per Case
03029	1003283	1003282	16 oz aerosol	12



H2



H2



⬆️ - 360° spray valve can be sprayed in the UP or DOWN position.

PENETRATING

KNOCK'ER LOOSE®

Penetrating Solvent

An industrial strength, low viscosity lubricant and penetrant designed to quickly loosen and free seized, bound or frozen fasteners. It quickly dissolves rust, scale, gum, grease and corrosion with a formula that creeps into cracks, seams, threads and joints better than the competition. Eases the disassembly of machinery, tools and equipment for routine maintenance and emergency repairs.

Part#	Item#	Case/Order#	Container Size	Units Per Case
03016	1003264	1003263	6 oz aerosol	12
03020	1003270	1003269	16 oz aerosol	12
03021	1003272	1003271	1 gallon bottle	4
03022	1003273	1003273	5 gallon pail	1
03023	1003274	1003274	55 gallon drum	1
03024	1003276	1003275	16 oz non-aerosol can w/trigger	12
03025	1003278	1003277	8 oz spout can	24



H2

KNOCK'ER LOOSE® PLUS

Penetrating Solvent

A unique penetrant that immediately drops the temperature of the area in contact with the spray. The freeze shock action cracks rusted surfaces allowing product to reach deeper and work more effectively than other penetrants.

Part#	Item#	Case/Order#	Container Size	Units Per Case
03027	1003280	1003279	20 oz aerosol	12



H2

SCREWLOOSE® SUPER PENETRANT

Quickly penetrates through rust and corrosion to rapidly free corroded bolts, screws, fasteners, pins and bound mechanisms. Eases disassembly of mechanical equipment, fittings and fixtures.

Part#	Item#	Case/Order#	Container Size	Units Per Case
03059	1003320	1003319	3 oz aerosol	12
03060	1003322	1003321	16 oz aerosol	12
03062	1003324	1003323	1 gallon bottle	4



H2

CORROSION INHIBITOR

SP-250™

Corrosion Inhibitor

Thin-film, water displacing, corrosion inhibitor that will not emulsify, even in the presence of alkali. Use for process parts drying and protection of all metals, protection for parts subjected to high humidity conditions, anti-corrosion coating for shrink wrapped parts, and moisture displacement for finished parts.

Part#	Item#	Case/Order#	Container Size	Units Per Case
03226	1003468	1003468	5 gallon pail	1
03228	1003469	1003469	55 gallon drum	1



H2

SP-300™

Corrosion Inhibitor

Unique blend of solvents, oils and corrosion inhibitors that quickly displaces moisture, excess water-based coolants and grinding compounds. Short-to-medium term protection. Non-drying film protects indoors up to 9 months.

Part#	Item#	Case/Order#	Container Size	Units Per Case
03246	1003470	1003470	5 gallon pail	1



H2

SP-350™

Corrosion Inhibitor

Provides protection for metal parts and assemblies that are stored indoors or in shipment. Promotes easy start-up of stored equipment.

Part#	Item#	Case/Order#	Container Size	Units Per Case
03262	1003477	1003476	16 oz aerosol	12
03266	1003478	1003478	5 gallon pail	1
03268	1003479	1003479	55 gallon drum	1



H2



⬇️ - 360° spray valve can be sprayed in the UP or DOWN position.

*This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

HEAVY DUTY

POWER LUBE®

High-Performance Lubricant w/PTFE

High performance, multi-purpose lubricant with the benefits of PTFE and extreme pressure additives provide long lasting lubrication and protection against friction, wear and corrosion. Increases the life and operating efficiency of parts and equipment.

Part#	Item#	Case/Order#	Container Size	Units Per Case
03045*	1003304	1003303	16 oz aerosol	12



H2

EXTREME DUTY SILICONE

Premium grade silicone fluid that exhibits superior lubrication and temperature viscosity characteristics. Use Extreme Duty Silicone on all metallic and non-metallic surfaces. Clear, non-staining, odorless and reduces friction and galling.

Part#	Item#	Case/Order#	Container Size	Units Per Case
03030	1003285	1003284	16 oz aerosol	12



H2

CHUTE LUBE®

Silicone Lubricant

Helps boxes glide down chutes and rails on package handling and sorting conveyors. Silicone spray for package handling applications minimizes corrosion and provides excellent lubricity. Its colorless, odorless, non-staining film lubricates and protects in most metal to non-metal applications. Eliminates the binding and sticking of packages and boxes, while protecting most surfaces even in wet conditions.

Part#	Item#	Case/Order#	Container Size	Units Per Case
03204*	1003459	1003458	20 oz aerosol	12
03220	1003464	1003463	16 oz non-aerosol	12
03222	1003466	1003466	5 gallon pail	1
03223	1003467	1003467	55 gallon drum	1



H2

CHAIN & WIRE ROPE LUBRICANT

Specifically formulated blend of synthetic lubricants and an organic molybdenum, anti-wear additive that penetrates deep, and leaves a tough film that lubricates and protects. Chain & Wire Rope Lube extends the working life of chains and wire rope and reduces wear caused by friction and corrosion.

Part#	Item#	Case/Order#	Container Size	Units Per Case
030501*	1003306	1003305	16 oz aerosol	12



H2



PARCEL GLIDE®

Silicone Lubricant

Silicone spray for package handling applications. It forms a colorless, odorless, non-staining film that lubricates and insulates most metal to non-metal applications. Silicone film eliminates binding and sticking of packages, while protecting most surfaces.

Part#	Item#	Case/Order#	Container Size	Units Per Case
03139*	1003415	1003414	16 oz non-aerosol spray can	12



H1

WHITE LITHIUM GREASE

High-purity, high-quality, NLGI Grade 2 white lithium-based aerosol grease that provides superior lubrication and durability in any weather or temperature. Excellent as a break-in lubricant for bearings, and for general purpose lubrication and corrosion protection of machinery, tools and equipment.

Part#	Item#	Case/Order#	Container Size	Units Per Case
03080*	1003341	1003340	16 oz aerosol	12



H2

⬇ – 360° spray valve can be sprayed in the UP or DOWN position.

1 – Item restricted from sale in some states. See product page on CRC website for specific restrictions.

*This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.



SmartWasher® BIOREMEDIATING parts washing system

A Stronger, Safer, Smarter Parts Washing System

CRC SmartWasher® is a bioremediating parts washing system designed to clean dirty parts during repair and maintenance operations. The SmartWasher® system employs a natural process called bioremediation to degrade and remove contaminants from the cleaning fluid, allowing the fluid to remain clean and reusable. There is no changing or hauling away of cleaning fluid, and it eliminates the need for ongoing purchase of solvents, handling of hazardous waste, and hazardous waste removal contracts.

The system combines three essential components: the SmartWasher® parts washer, the powerful water-based degreasing solution called OzzyJuice®, and the microbe-impregnated OzzyMat® filter. The merging of these three remarkable products creates a parts washer system that is highly effective, safer for employees, and better for the environment.



Models

14161	14145	14144	14710	14162
SW-23 Mobile Parts/ Brake Washer	SW-25 Signature Parts Washer	SW-28 SuperSink Parts Washer	SW-28XE SuperSink XE Parts Washer	SW-37 Mobile Heavyweight Parts Washer
OVERALL DIMENSIONS				
43" x 27" x 42"	35.5" x 26.5" x 40"	47" x 38" x 42"	47" x 38" x 42"	48" x 35" x 45"
SINK DIMENSIONS				
27" x 23" x 8"	27" x 17.5" x 8.5"	41" x 26" x 8"	41" x 26" x 8"	33" x 27" x 8"

What is OzzyJuice®?

OzzyJuice® is a powerful, aqueous based degreasing solution that is pH-neutral, non-irritating, non-flammable, and non-toxic. Armed with superior cleaning capability, the OzzyJuice® solutions will match or surpass the performance of a premium solvent without all the associated risks. All OzzyJuice® solutions are certified by both NSF (A1) and SCAQMD.

Ozzy® Microbes Keep Solution Clean & Strong

Microbes (OZZYS), introduced into the SmartWasher® system through the OzzyMat®, eat the grease, oil and other contaminants, cleaning off the dirty parts, creating the harmless by-products of carbon dioxide and water. The OzzyJuice® is heated to encourage Ozzy® microbe growth.

OzzyJuice®	5 Gallon Jug	55 Gallon Drum
SW-1 Degreasing Solution	14156	14725
SW-3 Truck Grade Solution	14720	14726
SW-4 Heavy Duty Solution	14148	14728
SW-6 Select Metals Solution	14158	14729
SW-7 Parts/Brake Solution	14721	14723
SW-8 Aircraft & Weapon Solution	14722	14724
SW-LF Low Foam Solution	14159	14727
SW-X1 HD Degreasing Solution	1751304	1751309

OzzyMat®

FL-4 Multi-Layer Filter (recommended for normal to heavy parts cleaning applications) 6-Pack 14124

FL-3 Single Layer Filter (recommended for light parts cleaning applications) 6-Pack 14149



Ozzy Booster®

Microbial Enhancer 8.5 oz bottle 6 per case 14131



AQUEOUS CLEANERS

HYDROFORCE® INDUSTRIAL STRENGTH DEGREASER

Aqueous degreaser with the powerful performance of a solvent. Upon contact, HydroForce® Industrial Strength Degreaser instantly begins to hunt-down, break-up and lift-off heavy deposits of grease, oil and dirt. It exhibits a unique spreadability that cleans up to four times the surface area of competitive products. Perfect for facilities seeking an alternative to traditional solvents.

Part#	Item#	Case/Order#	Container Size	Units Per Case
14414	1004968	1004967	20 oz aerosol	12
14415 ¹	1004970	1004969	32 oz trigger spray bottle	12
14416	1004972	1004971	1 gallon bottle	4
14417	1004973	1004973	5 gallon pail	1
14418	1004974	1004974	55 gallon drum	1



C1

HYDROFORCE® BUTYL-FREE ALL PURPOSE CLEANER

Butyl-free cleaner that is versatile enough for all of your cleaning tasks, but strong enough to attack and remove tough dirt, dust and grime deposits. It out-cleans many competing aqueous cleaners containing butyl. Perfect for facilities seeking an efficacious all-purpose cleaner with maximum regulatory compliance.

Part#	Item#	Case/Order#	Container Size	Units Per Case
14405	1004954	1004953	20 oz aerosol	12
14401	1004949	1004948	32 oz trigger spray bottle	12
14402	1004951	1004950	1 gallon bottle	4
14404	1004952	1004952	55 gallon drum	1



A1

C1

HYDROFORCE® ALL PURPOSE DEGREASER

Versatile enough to use for all degreasing tasks. Breaks-up and lifts-off grease, oil and dirt deposits. HydroForce® All Purpose Degreaser exhibits a unique spreadability that cleans up to three times the surface area as competing aqueous degreasers. Perfect for facilities seeking an improvement over their current all-purpose aqueous degreaser.

Part#	Item#	Case/Order#	Container Size	Units Per Case
14406	1004956	1004955	20 oz aerosol	12
14407 ¹	1004958	1004957	32 oz trigger spray bottle	12
14408	1004960	1004959	1 gallon bottle	4
14409	1004961	1004961	5 gallon pail	1
14410	1004962	1004962	55 gallon drum	1
14421	1004975	1004975	275 gallon tote	1



C1

HYDROFORCE® GLASS CLEANER

Professional Strength

Versatile enough to use on your most delicate glass surfaces, but strong enough to quickly cut through the toughest dirt, dust, fingerprint and haze deposits without streaking. Its ammonia-fortified formula contains a foaming agent for greater coverage and less run-off when cleaning vertical surfaces. HydroForce® Glass Cleaner is nearly twice as effective at eliminating streaks as other leading brands.

Part#	Item#	Case/Order#	Container Size	Units Per Case
14412	1004966	1004965	20 oz aerosol	12
14411	1004964	1004963	32 oz trigger spray bottle	12
14427	1004978	1004978	55 gallon drum	1



C1


HYDROFORCE® ZERO VOC General Purpose Cleaner

Provides maximum regulatory compliance without performance compromises. It is strong enough to attack and remove tough dirt, dust and grime deposits; yet its moderate pH formula, biodegradability and zero VOC content make it versatile and safe enough to use daily for all your cleaning tasks. Formulated with a special polymer that keeps dirt and greasy soils from returning to surfaces.

Part#	Item#	Case/Order#	Container Size	Units Per Case
14446	1004990	1004989	32 oz trigger spray bottle	12
14447	1004992	1004991	1 gallon bottle	4
14449	1004993	1004993	55 gallon drum	1



A1



¹ – Item restricted from sale in some states.

See product page on CRC website for specific restrictions.



HYDROFORCE® SUPER CITRUS™

Heavy Duty Degreaser

Naturally formulated degreaser that offers the superb cleaning power of citrus. It dissolves grease, oil, ink, tar, asphalt and many other industrial residues.

Part#	Item#	Case/Order#	Container Size	Units Per Case
14440	1004984	1004983	20 oz aerosol	12
14441	1004986	1004985	1 gallon bottle	4
14442	1004987	1004987	5 gallon pail	1
14443	1004988	1004988	55 gallon drum	1



C1

HYDROFORCE® FOAMING CITRUS ALL PURPOSE CLEANER

Rich, foamy, aqueous-based cleaner with a citrus scent, clings to tough, stubborn stains on vertical or inverted surfaces without runs or drips. Its foaming action instantly begins to lift-off and eliminate dirt, dust, ink and grime deposits.

Part#	Item#	Case/Order#	Container Size	Units Per Case
14400	1004947	1004946	20 oz aerosol	12



C1

HYDROFORCE® GERMICIDAL FOAM CLEANER

Cleans, disinfects and deodorizes in one easy step. The rich, foamy aqueous based formula clings to vertical or inverted surfaces without runs or drips. HydroForce® Germicidal Foam Cleaner contains powerful cleaning agents that instantly lift off and eliminate dirt, dust, grease and grime.

Part#	Item#	Case/Order#	Container Size	Units Per Case
14430	1004982	1004981	20 oz aerosol	12



C1

HYDROFORCE® STAINLESS STEEL CLEANER & POLISH

Using an exclusive ultra shine formula, HydroForce® Stainless Steel Cleaner & Polish eliminates dirt, dust, fingerprints and watermarks and leaves behind a protective, non-greasy barrier that resists the return of these stains. Created specifically for industrial applications, Stainless Steel Cleaner is formulated with powerful cleaning agents designed to out-clean, out-shine and out-perform competing janitorial stainless steel cleaners.

Part#	Item#	Case/Order#	Container Size	Units Per Case
14424	1004977	1004976	20 oz aerosol	12



C1

GREEN FORCE® WATER-BASED DEGREASER

Aqueous based, concentrated, industrial strength heavy-duty degreaser. It is pH neutral, non-corrosive, non-flammable, low-foaming and safe on most plastics.

Part#	Item#	Case/Order#	Container Size	Units Per Case
N/A	1751592	1751592	5 gallon pail	1
N/A	1751593	1751593	55 gallon drum	1



C1

HYDROFORCE® FOAMING DEGREASER

A rich, foamy, aqueous based degreaser that removes dirt, dust, grease, ink and grime with a powerful cleaning agent that clings to vertical or inverted surfaces without runs or drips. It is aggressive enough to remove rubber marks but remains gentle enough for use on painted and plastic surfaces.

Part#	Item#	Case/Order#	Container Size	Units Per Case
14428	1004980	1004979	20 oz aerosol	12



C1

INDUSTRIAL PRECISION CLEANERS

CONTACT CLEANER 2000®

Precision Cleaner

An aggressive general purpose precision cleaner that effectively removes dirt, light oils and other contaminants. It evaporates quickly, leaves no residue, has no flashpoint. Not recommended for use on Noryl® or polycarbonate type plastics.

Part#	Item#	Case/Order#	Container Size	Units Per Case
03150	1003419	1003418	16 oz aerosol	12
03152 ¹	1003422	1003422	5 gallon pail	1
03153 ¹	1003423	1003423	55 gallon drum	1



K2

XT-2000™

Precision Cleaner

A non-flammable, low odor, rapidly evaporating precision cleaner for use in electrical and industrial applications. Effectively removes dirt, light oils and other contaminants from electronic equipment.

Part#	Item#	Case/Order#	Container Size	Units Per Case
03155	1003425	1003424	16 oz aerosol	12



K2



CONTACT CLEANER

Advanced Technology Formula Contact Cleaner does not contain known ozone depleting substances or VOCs. It provides an optimal alternative to CFC, HCFC, and flammable contact cleaners. Regular use will help prevent electrical failure, increase performance and prolong equipment life. Contact Cleaner will not damage sensitive modern plastics such as Noryl®, ABS and Lexan®.

Part#	Item#	Case/Order#	Container Size	Units Per Case
03070	1003333	1003332	16 oz aerosol	12



K2

PF PRECISION CLEANER

Innovative contact cleaner that offers strong cleaning action, fast evaporation and no residue. PF Precision Cleaner has no flashpoint and is safe to use on plastics.

Part#	Item#	Case/Order#	Container Size	Units Per Case
03190	1003447	1003446	16 oz aerosol	12



K2

CO® CONTACT CLEANER

Advanced Technology Formula CO® Contact Cleaner does not contain known ozone depleting substances and is VOC exempt. Its blend of HFE and HFC solvents provide an optimal alternative to CFC, HCFC and flammable contact cleaners. Regular use of CO® Contact Cleaner will help prevent electrical failures, increase performance and prolong equipment life by dissolving and rinsing away contaminants.

Part#	Item#	Case/Order#	Container Size	Units Per Case
02016	1003172	1003171	16 oz aerosol	12
02017 ¹	1003174	1003173	16 oz non-aerosol can w/trigger	12



K2

QD® CONTACT CLEANER

A petroleum distillate and alcohol blended precision cleaner suitable for cleaning sensitive electronics. Evaporates quickly, leaves no residue and is safe to use on all plastics. QD® Contact Cleaner contains no Class I or Class II Ozone Depleting Chemicals.

Part#	Item#	Case/Order#	Container Size	Units Per Case
03130	1003407	1003406	16 oz aerosol	12
03134 ¹	1003411	1003410	1 gallon can	4
03131 ¹	1003408	1003408	5 gallon pail	1
03132 ¹	1003409	1003409	55 gallon drum	1



K2

FOOD GRADE CONTACT CLEANER

Suitable for cleaning sensitive electronics and electrical equipment without leaving a residue. Evaporates quickly and is safe to use on all plastics. Use where lower flashpoint cleaners are acceptable. NSF P1 Registered. Acceptable for use as an electronic cleaner with incidental food contact in and around food processing areas.

Part#	Item#	Case/Order#	Container Size	Units Per Case
N/A	1750989*	1750988	16 oz aerosol w/Perma-Lock®	12



P1

⬇️ - 360° spray valve can be sprayed in the UP or DOWN position.

¹ - Item restricted from sale in some states. See product page on CRC website for specific restrictions.

Noryl® and Lexan® are registered trademarks of General Electric Corporation

*This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.



CE™ PRECISION CLEANER

Azeotropic blend designed specifically for dissolving and flushing away carbon dust, polar soils, mineral oils and non-polar soils found in elevator rooms and vertical lifts. CE™ Precision Cleaner has a controlled evaporation rate, providing sufficient dwell time to dissolve and flush dirt from surfaces before evaporating without leaving a residue.

Part#	Item#	Case/Order#	Container Size	Units Per Case
14035	1004776	1004775	16 oz aerosol	12



K2

HF™ CONTACT CLEANER

Petroleum distillate-based precision cleaner that offers the safety of a high flashpoint without leaving a residue. It may be used on most plastic materials. HF™ Contact Cleaner contains no Class I or Class II Ozone Depleting Chemicals.

Part#	Item#	Case/Order#	Container Size	Units Per Case
03125	1003404	1003403	16 oz aerosol	12
03126	1003405	1003405	5 gallon pail	1



K2

CONTACT CLEANER 2000® VC Precision Cleaner

An aggressive advanced technology alternative precision cleaner designed to remove contaminants from electronic equipment. It provides an effective alternative to HCFC 141b-based cleaners when sensitive plastics are not a concern. Contains no Class I or Class II Ozone Depleting Chemicals. It is VOC compliant in all 50 states[∞].

Part#	Item#	Case/Order#	Container Size	Units Per Case
02240	1003249	1003248	16 oz aerosol	12



K2

CONTACT CLEANER & PROTECTANT

High purity precision cleaner that helps make equipment perform like new. Penetrates surface pores, cleans away contaminants and leaves a fine microscopic corrosion resistant film.

Part#	Item#	Case/Order#	Container Size	Units Per Case
03140*	1003417	1003416	16 oz aerosol	12



K2

ISOPROPYL ALCOHOL Precision Cleaner

A quick drying light-duty precision cleaner for use in electronic and aviation applications. Its 99% pure formula aggressively dissolves grease, dust, dirt, lint, oils and flux.

Part#	Item#	Case/Order#	Container Size	Units Per Case
03201	1003457	1003456	16 oz aerosol	12



K1 - K2

DUSTER™ Aerosol Dust Removal System

Safely removes dirt and dust from energized equipment without damaging sensitive components or surface finish. It penetrates into cracks and crevices to remove contaminants that normal hand dusting cannot reach. It delivers a powerful blast of product to remove embedded debris. The extension tube can be used for more precise delivery. Energized equipment use only.

Part#	Item#	Case/Order#	Container Size	Units Per Case
14085	1004818	1004817	12 oz aerosol trigger	12



K2

⬆️ - 360° spray valve can be sprayed in the UP or DOWN position.

∞ - As defined by Consumer Products VOC regulations.

*This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

HEAVY DUTY DEGREASERS AND CLEANERS

SUPER DEGREASER™

Non-chlorinated, non-conductive, non-corrosive, non-staining and with no flashpoint. Advanced Technology Formula Super Degreaser™ quickly dissolves grease, oil and sludge for more efficient operation of mechanical equipment. Super Degreaser™ evaporates rapidly and leaves no residue. It is an optimal alternative to chlorinated products. Use caution on plastics.

Part#	Item#	Case/Order#	Container Size	Units Per Case
03910 ³	1003514	1003513	20 oz aerosol MUO	12
03111 ³	1003384	1003383	1 gallon can	4
03112 ³	1003385	1003385	5 gallon pail	1
03113 ³	1003386	1003386	55 gallon drum	1
03114 ³	1003388	1003387	16 oz non-aerosol can w/trigger	12



K1

HEAVY DUTY DEGREASER

Quickly and effectively removes grease, oil, tar, dirt, grime, corrosion, sludge and other stubborn substances to increase operating efficiency of equipment. Heavy Duty Degreaser offers quick and efficient degreasing action and fast evaporation with no residue and no flashpoint. Use caution on plastics.

Part#	Item#	Case/Order#	Container Size	Units Per Case
03095 ¹	1003364	1003363	20 oz aerosol	12
03095T ¹	1003366	1003365	20 oz aerosol w/ trigger	12
03995 ³	1003521	1003520	20 oz aerosol MUO	12
03096 ³	1003368	1003367	1 gallon bottle	4
03097 ³	1003369	1003369	5 gallon pail	1
03098 ³	1003370	1003370	55 gallon drum	1



K1

SUPER DEGREASER™ PLUS

High strength degreaser dissolves grease, oil and sludge for more efficient operation of mechanical equipment. It is non-chlorinated, non-conductive, non-corrosive, non-staining and has no flashpoint. Evaporates quickly and leaves no residue.

Part#	Item#	Case/Order#	Container Size	Units Per Case
03109 ¹	1003380	1003379	20 oz aerosol	12



K1

QUICK CLEAN™

Safety Solvent and Degreaser

Effective heavy duty degreaser provides strong degreasing action, fast evaporation and no residue. It is non-flammable, does not contain VOCs, and contains no Class I or Class II Ozone Depleting Chemicals. Use caution on plastics and paints. Test on a small area before use.

Part#	Item#	Case/Order#	Container Size	Units Per Case
03180 ¹	1003437	1003436	20 oz aerosol	12
03183 ³	1003438	1003438	5 gallon pail	1
03184 ³	1003439	1003439	55 gallon drum	1



K2

T-FORCE® DEGREASER

Utilizes revolutionary technology that combines the power of a high performance, industrial strength degreaser with lower VOCs. T-Force® Degreaser is non-conductive, non-corrosive, non-staining and has no flashpoint. It quickly dissolves grease, oil and sludge for more efficient operation of mechanical equipment. T-Force® Degreaser evaporates rapidly, leaves no residue and has a good health and safety profile. Does not contain nPB, TCE or Perc.

Part#	Item#	Case/Order#	Container Size	Units Per Case
03116 ³	1003392	1003391	1 gallon bottle	4
03117 ³	1003393	1003393	5 gallon pail	1
03118 ³	1003394	1003394	55 gallon drum	1

T-Force® Degreaser MUO

03915 ³	1003516	1003515	20 oz aerosol	12
03916 ³	1007981	1003517	20 oz aerosol	12



K1

MECH FORCE™

Industrial Degreaser

An innovative, non-chlorinated, heavy duty degreaser that removes oil, grease and other contaminants. This fast evaporating solvent is excellent for use where rapid turnaround is necessary and low flashpoint solvents can be used. It offers a high permissible exposure limit.

Part#	Item#	Case/Order#	Container Size	Units Per Case
03151 ¹	1003421	1003420	20 oz aerosol	12



K1

T-FORCE® NEXT GENERATION DEGREASER

Utilizes revolutionary technology that combines the power of a high performance, industrial strength degreaser with lower VOCs. It is non-conductive, non-corrosive, non-staining and has no flashpoint.

Part#	Item#	Case/Order#	Container Size	Units Per Case
N/A	1750018 ¹	1750016	20 oz aerosol	12



K1

CITRUS DEGREASER

A unique heavy duty degreaser that is extremely effective for dissolving and removing grease, oil, lubricants and contaminants without requiring water wash off and without leaving a residue. Use caution on plastics and paints.

Part#	Item#	Case/Order#	Container Size	Units Per Case
14170 ¹	1004861	1004860	20 oz aerosol	12
14970 ³	1005158	1005157	20 oz aerosol MUO	12
14171 ³	1004863	1004862	16 oz non-aerosol can w/trigger	12
14172 ³	1004865	1004864	1 gallon bottle	4
14173 ³	1004866	1004866	5 gallon pail	1
14174 ³	1004867	1004867	55 gallon drum	1



C1

⊕ – 360° spray valve can be sprayed in the UP or DOWN position.

1 – Item restricted from sale in some states. See product page on CRC website for specific restrictions.

3 – Not for retail sale, for use in manufacturing establishments only.

HEAVY DUTY DEGREASERS AND CLEANERS

NATURAL DEGREASER™

Citrus Based Degreaser

Specially formulated degreaser that offers the natural cleaning power of citrus. It does not require water wash-off, and does not leave a sticky residue commonly associated with citrus-based cleaners. Contains no Class I or Class II Ozone Depleting Chemicals or chlorinated solvents. Use caution on plastics and paints.

Part#	Item#	Case/Order#	Container Size	Units Per Case
14005	1004762	1004761	20 oz aerosol	12
14007 ¹	1004763	1004763	5 gallon pail	1
14008 ¹	1004764	1004764	55 gallon drum	1



K1

CHLOR-FREE® DEGREASER

Innovative heavy duty non-chlorinated degreasing solvent that removes oil, grease and other contaminants. Excellent for use where rapid turnaround is necessary and low flashpoint solvents can be used. Use caution on plastics.

Part#	Item#	Case/Order#	Container Size	Units Per Case
03185 ^{1*}	1003441	1003440	20 oz aerosol	12
03985 ^{3*}	1003519	1003518	20 oz aerosol MUO	12
03187 ^{3*}	1003442	1003442	5 gallon pail	1
03188 ^{3*}	1003443	1003443	55 gallon drum	1
03189 ^{3*}	1003445	1003444	16 oz non-aerosol w/trigger	12



K2

HEAVY DUTY DEGREASER II

An excellent alternative for cleaning applications where chlorinated solvents are not acceptable. Heavy Duty Degreaser II effectively removes soils and cleans surfaces without residue build-up. Use caution on plastics.

Part#	Item#	Case/Order#	Container Size	Units Per Case
03120	1003398	1003397	20 oz aerosol	12
03121	1003400	1003399	1 gallon bottle	4
03122	1003401	1003401	5 gallon pail	1
03123	1003402	1003402	55 gallon drum	1



K1 K2

FOAMING COIL CLEANER

High performance, heavy duty foaming detergent designed to clean evaporator and condenser coils. The aggressive alkaline detergent blend quickly cuts through dirt, grease, oil and other types of residue. A low odor formula that does not require rinsing in most coil cleaning applications.

Part#	Item#	Case/Order#	Container Size	Units Per Case
03196 ³	1003453	1003452	20 oz aerosol	12



A1 K1

SUPER-SOY™ DEGREASER

A unique, biodegradable, heavy duty degreaser extremely effective in dissolving and removing grease, oil, lubricants, adhesives and tar. Specially formulated with soy bean and corn based solvents, which are renewable resources that conserve non-renewable resources such as petroleum.

Part#	Item#	Case/Order#	Container Size	Units Per Case
03135	1003413	1003412	20 oz aerosol	12



K1

INDUSTRIAL ADHESIVE REMOVER

Ideal for removing adhesive residue, tar, wax or other contaminants. Its penetrating formula can help remove stubborn labels and tape from multiple surfaces. VOC compliant in all 50 states[∞].

Part#	Item#	Case/Order#	Container Size	Units Per Case
03250	1003473	1003472	20 oz aerosol	12



K3

INSTA-SOLV® DEGREASER

An extremely low VOC content, non-chlorinated degreaser for use in industrial and electrical applications. Its fast evaporating formula aggressively dissolves grease, dirt, and oils from most non-plastic surfaces.

Part#	Item#	Case/Order#	Container Size	Units Per Case
03100 [*]	1003372	1003371	20 oz aerosol	12



K1

LECTRA CLEAN®

Heavy Duty Electrical Parts Degreaser

For use on energized electrical equipment only.

Quickly and effectively removes grease, oil, tar, dirt, grime, corrosion, sludge and other stubborn substances from energized electrical equipment to increase operating efficiency. It offers quick & efficient degreasing action, fast evaporation and no residue. Use caution near plastics. Designed specifically to be safe for use on energized electrical equipment.

Part#	Item#	Case/Order#	Container Size	Units Per Case
02018	1003177	1003175	20 oz aerosol	12
02020	1003181	1003180	1 gallon bottle	4
02021	1003182	1003182	5 gallon pail	1
02023	1003183	1003183	55 gallon drum	1



K2

³ - 360° spray valve can be sprayed in the UP or DOWN position.

[∞] - As defined by Consumer Products VOC regulations.

¹ - Item restricted from sale in some states. See product page on CRC website for specific restrictions.

³ - Not for retail sale, for use in manufacturing establishments only.

*This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

MAINTENANCE CHEMICALS

CUTTING OIL

Superior thread cutting lubricant for use on all types of both ferrous and non-ferrous metals, including brass, copper and aluminum.

Part#	Item#	Case/Order#	Container Size	Units Per Case
14050 ²	1004784	1004783	16 oz aerosol	12
14051 ²	1004786	1004785	1 gallon bottle	4



P1

GRAFFITI REMOVER

CRC Graffiti Remover is a solvent-based, high strength cleaner that removes vandal marks from different types of surfaces. It quickly dissolves and aids in the removal of paints, pen marks, crayon, ink, lipstick, scuff marks, lacquers, and varnishes. CRC Graffiti Remover contains no methylene chloride.

Part#	Item#	Case/Order#	Container Size	Units Per Case
03194	1003449	1003448	16 oz aerosol	12



C3

STEEL RE-NU[®]

Stainless Steel Coating

Quick-drying, 100% #316L stainless steel coating provides corrosion resistance and protection against weather, sunlight, oil and water, in a variety of environments including marine, utility, chemical processing, food manufacturing and general maintenance repair.

Part#	Item#	Case/Order#	Container Size	Units Per Case
18211*	1005234	1005233	16 oz aerosol	6



R2

AEROSOL LEAK DETECTOR

CRC Leak Detector is formulated for the quick and easy site detection of gas leaks and air leaks. Reliably locates gas leaks and pressure losses in pipes and pressurized systems by forming highly visible bubbles when applied over any leak. The water-based formula contains no oils, silicones or harmful solvents. Highlights all leaks, even under low pressure. Non-flammable aerosol package enables fast and easy application with no waste or spillage. No odor. NSF P1 Registered.

Part#	Item#	Case/Order#	Container Size	Units Per Case
14503	1004997	1004996	20 oz aerosol	12



P1

FOOD GRADE SILICONE MOLD RELEASE

Formulated to be used for light duty applications. Contains the same high-quality ingredients as General Purpose Silicone Mold Release. Light duty silicone content 3%. NSF M1 Registered

Part#	Item#	Case/Order#	Container Size	Units Per Case
03301	1003490	1003489	16 oz aerosol	12



M1

FOOD GRADE MOLD RELEASE WO

Silicone-free, paintable mold release is perfect for use in medical and food packaging applications. The pure white oil based formula makes it an excellent all-purpose mold release. NSF H1, M1 Registered. Safe for use on most plastics.

Part#	Item#	Case/Order#	Container Size	Units Per Case
03311	1003498	1003497	16 oz aerosol w/Perma-Lock [®]	12



H1

M1

HAND CLEANER TOWELS

These shop-sized pre-moistened, heavy duty towels with pumice scrubbing power work fast to loosen, dissolve and absorb dirt and grease. Hand Cleaner Towels are absorbent, non-scratching, easy to use and are fortified with emollients for the skin.

Part#	Item#	Case/Order#	Towel Size	Towels per Container	Containers per Case
04100	1003525	1003524	10.5" x 12.25"	72	6



E4



2 – Item restricted from sale in SCAQMD

*This product is labeled extremely flammable.

Read and observe the special usage warning on the label.

Do not apply while equipment is energized.

RTV SILICONE ADHESIVE/SEALANTS

CRC Room Temperature Vulcanizing (RTV) Adhesive/Sealants are designed for a wide range of sealing, bonding, protecting and waterproofing. They cure at room temperature – no special curing methods required. The chemically stable formulations show little change in physical properties after exposure to rain, snow, temperature extremes and weathering.

- Clear: Forms a barely visible water-tight seal
- White: Designed for high moisture, indoor/outdoor applications
- Blue: Heavy duty industrial gasket sealant
- Red: High temperature, low odor, non-corrosive gasket sealant
- Black: High pressure, low odor, non-corrosive gasket sealant



RTV SILICONE PRESSURIZED TUBES



Revolutionary packaging with Select-a-Bead® Nozzle – allows user to control bead width. Dispenses a uniform bead for consistent results. Pressurized package keeps silicone fresh so it won't dry out. Self-sealing plug – Simply pull out to re-use the product. VOC compliant.∞

Part#	Item#	Case/Order#	Container Size	Units Per Case
14055#	1004788	1004787	Clear 8 oz tube	12
14056#	1004790	1004789	White 8 oz tube	12
14057#	1004792	1004791	Blue 8 oz tube	12
14059	1004794	1004793	Red 8 oz tube	12
14072	1004800	1004799	Black 8 oz tube	12

RTV SILICONE CARTRIDGES

Economical for large jobs. Convenient screw-on nozzle. Fast dispensing for applications that require less precision. VOC compliant.∞

Part#	Item#	Case/Order#	Container Size	Units Per Case
14073#	1004802	1004801	Clear 12 oz cartridge	12
14074#	1004804	1004803	White 12 oz cartridge	12
14075	1004806	1004805	Red 12 oz cartridge	12



FOOD ZONE SILICONE SEALANTS

NSF Certified for sealing, bonding, protecting and waterproofing in food plants. They show little change in physical properties after exposure to moisture and temperature extremes.

Part#	Item#	Case/Order#	Container Size	Units Per Case
14082‡	1004812	1004811	White 12 oz cartridge	12
14083‡	1004814	1004813	Clear 12 oz cartridge	12
14087‡	1004822	1004821	Gray 12 oz cartridge	12
14088‡	1004824	1004823	Aluminum 12 oz cartridge	12



∞ – As defined by Consumer Products VOC regulations.
 # – Meets NSF/ANSI#51 and FDA Reg. 21, CFR 177.2600
 ‡ – Meets NSF/ANSI #51 and FDA 175.105

PRODUCT NAME INDEX

2-26® Multi-Purpose Precision Lubricant	7	Heavy Duty Degreaser II	17	OzzyMat® FL-3 Single-Layer	11
3-36® Multi-Purpose Lubricant	7	HF™ Contact Cleaner	15	OzzyMat® FL-4 Multi-Layer	11
Aerosol Leak Detector	18	HydroForce® All Purpose Degreaser	12	Parcel Glide® Silicone Lubricant	9
CE™ Precision Cleaner	15	HydroForce® Butyl-Free Cleaner	12	PF Precision Cleaner	14
Chain & Wire Rope Lubricant	9	HydroForce® Foaming Citrus All Purpose Cleaner	13	Power Lube® High Performance Lubricant	9
Chlor-Free® Degreaser	17	HydroForce® Foaming Degreaser	13	QD® Contact Cleaner	14
Chute Lube® Silicone Lubricant	9	HydroForce® Germicidal Foam Cleaner	13	Quick Clean™ Safety Solvent	16
Citrus Degreaser	16	HydroForce® Glass Cleaner Professional Strength	12	Roll-Up Door Lubricant	7
CO® Contact Cleaner	14	HydroForce® Industrial Strength Degreaser	12	RTV Silicone Sealant – Black	19
Contact Cleaner	14	HydroForce® Stainless Steel Cleaner & Polish	13	RTV Silicone Sealant – Blue	19
Contact Cleaner & Protectant	15	HydroForce® Super Citrus™ Heavy Duty Degreaser	13	RTV Silicone Sealant – Clear	19
Contact Cleaner 2000®	14	HydroForce® Zero VOC General Purpose Cleaner	12	RTV Silicone Sealant – Red	19
Contact Cleaner 2000® VC	15	Industrial Adhesive Remover	17	RTV Silicone Sealant – White	19
Cutting Oil	18	Insta-Solv® Degreaser	17	Screwloose® Super Penetrant	8
Dielectric Grease	6	Isopropyl Alcohol Precision Cleaner	15	SmartWasher® SW-37 Mobile Heavyweight Parts Washer	10
Dry PTFE Lube	7	Knock'er Loose® Penetrating Solvent	8	SmartWasher® SW-23 Mobile Parts/ Brake Washer	10
Duster™ Aerosol Dust Removal System	15	Knock'er Loose® Plus	8	SmartWasher® SW-25 Signature Parts Washer	10
Extreme Duty Silicone	9	Lectra Clean® Heavy Duty Electrical Parts Degreaser	17	SmartWasher® SW-28 SuperSink Parts Washer	10
Extreme Duty Food Grade Grease	6	Mech Force™ Industrial Degreaser	16	SmartWasher® SW-28XE SuperSink XE Parts Washer	10
Foaming Coil Cleaner	17	Mold Release, Food Grade Silicone	18	SP-250™ Corrosion Inhibitor	8
Food Grade Air Tool Oil	6	Mold Release, Food Grade WO	18	SP-300™ Corrosion Inhibitor	8
Food Grade Anti-Seize	6	Multi-Purpose Food Grade Grease	6	SP-350™ Corrosion Inhibitor	8
Food Grade Belt Dressing	5	Natural Degreaser™ Citrus Based Degreaser	17	Steel Re-Nu®	18
Food Grade Chain Lube	5	Ozzy Booster®	11	Super Degreaser™	16
Food Grade Contact Cleaner	14	OzzyJuice® SW-8 Aircraft & Weapons Solution	11	Super Degreaser™ PLUS	16
Food Grade Dielectric Grease	6	OzzyJuice® SW-1 Solution	11	Super Soy™ Degreaser	17
Food Grade Machine Oil	5	OzzyJuice® SW-4 Heavy Duty Solution	11	Syntha-Tech™ Lubricant with PTFE	5
Food Grade Penetrating Oil	5	OzzyJuice® SW-7 Parts/Brake Solution	11	Synthetic Food Grade Grease	6
Food Grade Silicone	5	OzzyJuice® SW-6 Select Metals Solution	11	T-Force® Degreaser	16
Food Grade White Grease	5	OzzyJuice® SW-3 Truck Grade Solution	11	T-Force® Next Generation	16
Food Zone Silicone Sealant – White	19	OzzyJuice® SW-LF Low Foam Solution	11	Technical Grade 3-36®	7
Food Zone Silicone Sealant – Clear	19	OzzyJuice® SW-X1 HD Degreasing Solution	11	Ultra-Lite 3-36®	7
Food Zone Silicone Sealant – Gray	19			Water Based Silicone	5
Food Zone Silicone Sealant –Aluminum	19			White Lithium Grease	9
Graffiti Remover	18			XT-2000™ Precision Cleaner	14
Green Force® Water-Based Degreaser	13				
Hand Cleaner Towels	18				
Heavy Duty Degreaser	16				

CRC Offers Chemical Management Solutions Through Our Programs.



- RISK REDUCTION PARTNERSHIP PLAN™
- EZ CROSS APP
- SAFETY SHORTS – TRAINING

RISK REDUCTION PARTNERSHIP PLAN™ (R2P2™)

CRC's commitment to providing our customers with value-added services has prompted the creation of the Risk Reduction Partnership Plan™. Much more than just a chemical use guide, this plan is a presentation piece that highlights our value-added services. CRC, together with distribution, works with our key end-users to improve the overall management of their MRO chemicals and provide them with documented cost savings.



EZ CROSS APP

The CRC EZ Cross App is a competitive cross reference app that allows the user to scan the UPC code or enter the part number of a competitive MRO chemical product, resulting in the corresponding CRC product match. CRC EZ Cross provides detailed product specifications, as well as links to SDS, PDS and more!

SAFETY SHORTS – TRAINING

CRC will conduct Safety Shorts Training for groups of any size in your facility. Our training presentations cover a variety of topics including Chemical Handling, Fire Safety, General Aerosol & Chemical Safety, Hazardous Waste, Personal Protective Equipment, Safety Data Sheets and Ventilation. Each presentation is 20-30 minutes in length and attendees receive a certificate upon completion. A sign-in sheet records who attended training which is required by many companies to satisfy training objectives.



Customer Care: 800-272-4620
Technical Assistance: 800-521-3168
www.crcindustries.com

