

SAFETY DATA SHEET

1. Identification

Product identifier Driller Red Grease - 14 oz

Other means of identification

Product Code No. SL3640 (Item# 1007959)

Recommended use Lubricant
Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufactured or sold by:

Company name CRC Industries, Inc.

Address 885 Louis Dr.

Warminster, PA 18974 US

Telephone

 General Information
 215-674-4300

 Technical Assistance
 800-521-3168

 Customer Service
 800-272-4620

 24-Hour Emergency
 800-424-9300 (US)

(CHEMTREC)

Website www.crcindustries.com

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 2

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement Causes skin irritation. Causes serious eye irritation.

Precautionary statement

Prevention Use only outdoors or in a well-ventilated area. Open doors and windows or use other means to

ensure a fresh air supply during use. If you experience any symptoms listed on this label, increase ventilation or leave the area. Wear protective gloves and eye/face protection. Wash thoroughly

after handling.

Response If on skin: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Take

off contaminated clothing and wash before reuse. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye

irritation persists: Get medical advice/attention.

Storage Store away from incompatible materials.

Disposal Dispose of contents/container in accordance with local/regional/national regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Material name: Driller Red Grease - 14 oz

Chemical name	Common name and synonyms	CAS number	%
distillates (petroleum), hydrotreated heavy naphthenic		64742-52-5	60 - 70
antimony diamyldithiocarbamate		15890-25-2	1 - 10
lithium hydroxide		1310-66-3	1 - 10
residual oils (petroleum),		64742-01-4	1 - 10

Specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.

Call a physician if symptoms develop or persist.

Remove contaminated clothing. Wash with plenty of soap and water. Seek medical attention if Skin contact

tissue appears damaged or if pain or irritation persists. If material is injected under the skin, seek medical attention immediately. If burned by hot material, cool skin by quenching with large

amounts of cool water. Wash contaminated clothing before reuse.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Do not induce vomiting without advice from poison control center. Rinse mouth. Never give anything by mouth to a victim who is unconscious or is having convulsions. If ingestion of a large

amount does occur, call a poison control center immediately.

Most important symptoms/effects, acute and delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Skin irritation. May cause redness and pain.

Indication of immediate medical attention and special treatment needed

If this product is stored or applied in high-pressure systems such as grease guns or hydraulic lines, there is the potential for accidental injection into the skin and underlying tissues. In the event of injection in underlying tissue, immediate treatment should include extensive incision, debridement and saline irrigation. Inadequate treatment can result in ischemia and gangrene. Early symptoms may be minimal. If ingested, check for possible bowel obstruction with ingestion of

large quantities of material.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to **General information**

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

protect themselves.

None known.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Ingestion

Specific hazards arising from

the chemical

if ignited. Use of water on product above 100 °C (212 °F) can cause product to expand with explosive force. Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Addition of water or foam to the fire may cause frothing. Molten material can form flaming droplets

Special protective equipment and precautions for firefighters

Fire-fighting equipment/instructions Use water spray to cool unopened containers.

General fire hazards

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Prevent entry into waterways, sewer, basements or confined areas.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

Material name: Driller Red Grease - 14 oz

SDS US

No. SL3640 (Item# 1007959) Version #: 02 Revision date: 08-30-2022 Issue date: 03-18-2019

7. Handling and storage

Precautions for safe handling

Avoid contact with eyes, skin, and clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Use care in handling/storage. If this product is stored or applied in high-pressure systems such as grease guns or hydraulic lines, there is the potential for accidental injection into the skin and underlying tissues. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. For product usage instructions, see the product label.

Conditions for safe storage, including any incompatibilities

Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place.

8. Exposure controls/personal protection

Occupational exposure limits

Components	Туре	Value	Form
antimony diamyldithiocarbamate (CAS 15890-25-2)	PEL	0.5 mg/m3	
distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	PEL	5 mg/m3	Mist.
,		2000 mg/m3	
		500 ppm	
US. ACGIH Threshold Limit Values			
Components	Туре	Value	Form
antimony diamyldithiocarbamate (CAS 15890-25-2)	TWA	0.5 mg/m3	
distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Inhalable fraction.
residual oils (petroleum), solvent-refined (CAS 64742-01-4)	TWA	5 mg/m3	Inhalable fraction.
US. NIOSH: Pocket Guide to Chemica			
Components	Туре	Value	Form
antimony diamyldithiocarbamate (CAS 15890-25-2)	TWA	0.5 mg/m3	
distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	Ceiling	1800 mg/m3	
,	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
US. Workplace Environmental Expos	ure Level (WEEL) Guides		
Components	Туре	Value	
lithium hydroxide (CAS 1310-66-3)	Ceiling	1 mg/m3	

Biological limit values

No biological exposure limits noted for the ingredient(s).

Exposure guidelines
Appropriate engineering
controls

Occupational Exposure Limits are not relevant to the current physical form of the product.

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower should be available when handling this product.

Material name: Driller Red Grease - 14 oz

SDS US

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear protective gloves such as: Nitrile. Polyvinyl chloride (PVC).

Other Wear appropriate chemical resistant clothing.

If engineering controls are not feasible or if exposure exceeds the applicable exposure limits, use a Respiratory protection

> NIOSH-approved cartridge respirator with an organic vapor cartridge. Use a self-contained breathing apparatus in confined spaces and for emergencies. Air monitoring is needed to

determine actual employee exposure levels.

Wear appropriate thermal protective clothing, when necessary. Thermal hazards

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Solid. **Physical state Form** Grease. Red. Color

Mild petroleum. Odor **Odor threshold** Not available. pН Not available. Not available. Melting point/freezing point

Initial boiling point and boiling

range

680 °F (360 °C) estimated

302.0 °F (150.0 °C) Open Cup Flash point

Not available. **Evaporation rate** Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Not available. Explosive limit - lower (%) Explosive limit - upper (%) Not available.

< 0.01 mm Hg Vapor pressure > 10 (air = 1)Vapor density

0.93 Relative density

Solubility(ies)

Not available. Solubility (water) Partition coefficient Not available.

(n-octanol/water)

500 °F (260 °C) estimated **Auto-ignition temperature**

Not available. **Decomposition temperature** Not available. **Viscosity** Percent volatile Not available.

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. Chemical stability

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Heat, flames and sparks. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

Carbon oxides. Hydrocarbon fumes and smoke. Sulfur oxides. Oxides of phosphorus. Nitrogen products

oxides (NOx). Zinc oxide.

Material name: Driller Red Grease - 14 oz

SDS US No. SL3640 (Item# 1007959) Version #: 02 Revision date: 08-30-2022 Issue date: 03-18-2019

11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact Causes skin irritation.

Eye contact Causes serious eye irritation.

Ingestion Health injuries are not known or expected under normal use.

Symptoms related to the physical, chemical and toxicological characteristics

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Skin irritation. May cause redness and pain.

Information on toxicological effects

Acute toxicity None known.

Product Species Test Results

Driller Red Grease - 14 oz

Acute

Oral

ATEmix 4444.44 mg/kg bw

Components Species Test Results

antimony diamyldithiocarbamate (CAS 15890-25-2)

<u>Acute</u>

Dermal

LD50 Rabbit > 16000 mg/kg

Oral

LD50 Rat > 16400 mg/kg

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye

Causes serious eye irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

distillates (petroleum), hydrotreated heavy naphthenic

3 Not classifiable as to carcinogenicity to humans.

(CAS 64742-52-5)

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Chronic effects Prolonged exposure may cause chronic effects.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Material name: Driller Red Grease - 14 oz

No. SL3640 (Item# 1007959) Version #: 02 Revision date: 08-30-2022 Issue date: 03-18-2019

^{*} Estimates for product may be based on additional component data not shown.

Components Species Test Results

antimony diamyldithiocarbamate (CAS 15890-25-2)

Aquatic Chronic

Crustacea NOEC Water flea (Daphnia magna) 0.02 mg/l, 21 days

* Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions This product is not a RCRA hazardous waste (See 40 CFR Part 261.20 – 261.33). Empty

containers may be recycled. Collect and reclaim or dispose in sealed containers at licensed waste

disposal site. Dispose in accordance with all applicable regulations.

Hazardous waste code Not regulated.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

antimony diamyldithiocarbamate (CAS 15890-25-2)

CERCLA Hazardous Substances: Reportable quantity

Not listed.

Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

antimony diamyldithiocarbamate (CAS 15890-25-2)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

Food and Drug

Not regulated.

Administration (FDA)

Material name: Driller Red Grease - 14 oz

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Classified hazard Skin corrosion or irritation

categories Serious eye damage or eye irritation

Specific target organ toxicity (single or repeated exposure)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes

chemical

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
antimony diamyldithiocarbamate	15890-25-2	1 - 10	

US state regulations

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd.

antimony diamyldithiocarbamate (CAS 15890-25-2)

distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)

residual oils (petroleum), solvent-refined (CAS 64742-01-4)

US. New Jersey Worker and Community Right-to-Know Act

antimony diamyldithiocarbamate (CAS 15890-25-2)

lithium hydroxide (CAS 1310-66-3)

US. Pennsylvania Worker and Community Right-to-Know Law

antimony diamyldithiocarbamate (CAS 15890-25-2)

US. Rhode Island RTK

antimony diamyldithiocarbamate (CAS 15890-25-2)

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 2016 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

Volatile organic compounds (VOC) regulations

EPA

VOC content (40 CFR

Not determined

51.100(s))

Consumer products (40 CFR 59, Subpt. C)

Not regulated

State

Consumer products Not regulated
VOC content (CA) Not determined
VOC content (OTC) Not determined

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes

Material name: Driller Red Grease - 14 oz

SDS US

Country(s) or region Inventory name On inventory (yes/no)*

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing

16. Other information, including date of preparation or last revision

Issue date03-18-2019Revision date08-30-2022Prepared byAllison Yoon

Version # 02

country(s).

Disclaimer The information contained in this document applies to this specific material as supplied. It may not

be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC's knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this (M)SDS consult your supervisor, a health & safety

professional, or CRC Industries, Inc..

Revision information Product and Company Identification: Product and Company Identification

Hazard(s) identification: Prevention

Composition / Information on Ingredients: Ingredients

Ecological Information: Ecotoxicity

GHS: Classification

Material name: Driller Red Grease - 14 oz