



CRC



**OSHA
HAZCOM
(GHS)**

**Classification & Labeling
of Chemicals**

ATTENTION! THE REGULATIONS HAVE CHANGED; SO HAS YOUR LABEL!

But CRC still offers the same high quality products.



NEW terminology, labeling & classifications:

- 1 Pictograms
- 2 Signal word “Danger” or “Warning”
- 3 Hazard Statements
- 4 Precautionary Statements

In March of 2012, OSHA published a revision to the Hazard Communication standard to bring it into alignment with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

A major difference is that the new standard provides specific criteria both for classifying hazards and for presenting the information on labels and safety data sheets. For additional information, check out the **HAZCOM 2012 Tech Brief** on our web site:

June 1, 2015

As of this date, manufacturers and importers of workplace products must have updated labeling and safety data sheets for their shipped products.

December 1, 2015

Distributors have five additional months to sell through any products labeled under the old system. On or after this date, distributors must also have updated labeling and SDS's for their shipped products.

June 1, 2016

By this date, employers must update their written hazard communication programs to address the new requirements and complete any additional training necessary for newly identified physical or health hazards.



WHAT?

WHY?

WHEN?

2 Warning
Flammable aerosol. Contains **3** under pressure; may explode if heated.

Precautionary Statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
Do not spray on an open flame or other **4** ignition source. Pressurized container: Do not pierce or burn, even after use. Use with adequate ventilation. Open doors and windows or use other means to ensure a fresh air supply during use and while product is drying. If you experience any symptoms listed on this label, increase ventilation or leave the area. Store in a well-ventilated place. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Exposure to high temperature may cause can to burst. Dispose of contents/container in accordance with local/regional/national regulations.

First Aid

Wash hands after handling.



New Pictograms on CRC Products



- Flammable aerosols
- Flammable liquids



- Aspiration hazard, potential carcinogen, reproductive harm



- Corrosive for skin and/or eyes
- Corrosive for metals



- Gases under pressure (aerosol)



- Harmful if inhaled, if swallowed, if in contact with skin
- Can cause irritation to the skin, eyes or airways
- Can cause drowsiness or dizziness
- May cause an allergic skin reaction



- Toxic if inhaled, if swallowed, if in contact with skin

HAZARD CLASS